

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Nu		lumber		Inspection Date	
Elm City Childcare Ltd.	2021009				February 29, 2024	
Facility Name			Telephone Number			
School of Discoveries				(506) 440-6458		
Address						
150 Cowperthwaite Street Fredericton NB E3A 9Y5						
Name of Early Learning and Childcare Licensing Staff			Position Title			
Joanne Voye Page			Quality Assurance Monitor			
Order for Compliance				Date corre		Date corrected
22 The daily routine of a licensed facility shall include (a) outdoor play for at least one hour in each four-hour block of time when the majority of children receiving services are in attendance except in the following circumstances: (i) the wind chill is below -20 °C; (ii) the temperature is below -20 °C; or (iii) the temperature is 33 °C with humidity or above. Comments: Deficiency is now compliant			22(a) Feb		27, 2024	Feb 28, 2024
General Comments						
original signed by Joanne Voye Page Signature of Early Learning and Childcare Licensing Staff Date						
Signature of Operator/Designate		Date				