

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Boulevard Early Learning Centre Inc.	Licence Number 2021013	Inspection Date September 21, 2023
Facility Name Boulevard Early Learning Centre		Telephone Number (506) 466-3614
Address 174 Milltown Boulevard St. Stephen NB E3L 1G8		
Name of Early Learning and Childcare Licensing Staff Britta Garnett		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Aug 15, 2022	Mar 20, 2023
Comments: Deficiency is now compliant. Back dated to Renewal 2023.			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Sep 21, 2023	
Comments: Infant 1: One group came in from outdoor play and did not wash their hands. Children and educators to wash their hands after outdoor play.			
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.	30(3)	Aug 03, 2022	Mar 20, 2023
Comments: Deficiency is now compliant. Back dated to Renewal 2023.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	Aug 15, 2022	Mar 20, 2023
Comments: Deficiency is now compliant. Back dated to Renewal 2023.			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Oct 03, 2023	
Comments: Twos Room: Polka dot rug - unclean. To be cleaned.			
39(3) Despite paragraph (2)(b), medications administered in cases of anaphylactic shock shall not be stored in a locked space.	39(3)	Aug 03, 2022	Mar 20, 2023
Comments: Deficiency is now compliant. Back dated to Renewal 2023.			

General Comments

Monitoring Inspection:

General Comments

Children and educators observed during outdoor play, indoor play, transition times, lunch and rest time. Educators observed engaged in play and conversations with the children at their level both indoors and outdoors.

Purposeful planning is evident in each environment through documentation, photos and materials that have been added. It is evident that educators have been focusing on ensuring documentation of the children's experiences, interests and learning is posted within the environments and added to the child's portfolios.

Twos Room:

Discussed with administrator - some focus on setting up this room for the children is needed. Discussed starting in one interest centre; adding more materials, organizing and setting up invitations.

Next steps:

Adding age- appropriate loose parts to each environment. Discussed with educators materials to consider. How can you document the children's experiences with loose parts?

original signed by
Britta Garnett

Signature of Early Learning and Childcare Licensing Staff

September 21, 2023

Date

original signed by
Mel Read

Signature of Operator/Designate

September 21, 2023

Date