

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator School Street Child Care Inc.	Licence Number 2021017	Inspection Date May 03, 2022	
Facility Name School Street Afterschool Program		Telephone Number (506) 328-0089	
Address 201 School Street Woodstock NB E7M 0G7			
Name of Early Learning and Childcare Licensing Staff Nancy Glendenning		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	May 13, 2022	
Comments: There is an educator missing current first aid and CPR certification. Please provide proof that this staff is enrolled.			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	May 13, 2022	
Comments: School age children are engaging in a variety of activities however there is no written plan. Please provide a weekly written plan that can be verified and is child directed.			
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29.	21(a) – (d)	May 13, 2022	
Comments: Monitoring visits were posted but renewal inspection was not. Annual inspections including follow-up visits must be posted for 1 year.			
31(4) An operator shall ensure that the outdoor play area of a licensed facility (a) includes a shaded area that is at least 10% of the outdoor play area.	31(4)(a)	May 13, 2022	
Comments: Shade is required for school age outdoor play area.			
33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions.	33(2)	May 03, 2022	
Comments: There is a dome in school age area that requires surfacing underneath it. If surfacing does not meet regulations, it should not be used.			

General Comments

The school age environment is set up with developmentally appropriate materials with a range in variety. Their artwork is displayed and the Administrator was able to describe some of the experiences that the children are experiencing. However, a written program is required for licensing purposes.

General Comments

In the outdoor play area there is evident of learning. They are looking at deer prints, searching for tad poles, frogs and exploring the wet and muddy terrain. The children appeared content and there was no evidence of conflict.

Educators are engaged with children however licensing staff observed a raised voice by one of the educators outside while trying to tell the children to move away from the back of the storage unit. It is recommended that educators move close to the children to have a conversation of what they would like to happen and be mindful of voice tones and demeanor.

There has been a positive change in filing system. Licensing staff was easily able to verify documentation that is necessary for licensing.

original signed by
Nancy Glendenning

Signature of Early Learning and Childcare Licensing Staff

May 03, 2022

Date

original signed by
Emily Gaddas

Signature of Operator/Designate

May 03, 2022

Date