

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Licence Number

Inspection Date

Pursuant to section 21 of the Early Childhood Services Act, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| School Street Child Care Inc. | 2021017 |)21017 | | December 06, 2022 | | | |
|---|---------|-------------|----------------|----------------------|----------------|----------------|--|
| Facility Name | | | | Telephone Number | | | |
| School Street Afterschool Program | | | | | (506) 328-0089 | | |
| Address | | | | | | | |
| 201 School Street Woodstock NB E7M 0G7 | | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | | Position Title | | | | |
| Nancy Glendenning | | | Inspector | | | | |
| Order for Compliance | | Regulation | | Date to be corrected | | Date corrected | |
| 11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate; | | 11(a) May | | May 1 | 13, 2022 | Jul 07, 2022 | |
| Comments: Deficiency is now compliant | | | | | | | |
| 21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. | | 21 | | May 1 | 13, 2022 | Jul 07, 2022 | |
| Comments: Deficiency is now compliant | | | | | | | |
| 21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. | | 21(a) – (d) | | May 1 | 13, 2022 | Jul 07, 2022 | |
| Comments: Deficiency is now compliant | | | | | | | |
| 31(4) An operator shall ensure that the outdoor play area of a licensed facility (a) includes a shaded area that is at least 10% of the outdoor play area. | | 31(4)(a) | | May 1 | 13, 2022 | Jul 07, 2022 | |
| Comments: Deficiency is now compliant | | | | | | | |
| 33(2) Stationary equipment in the outdoor play area shall be su by a protective surfacing and installed according to the manufacinstructions. | | 33(2) |) | May (| 03, 2022 | Jul 07, 2022 | |
| Comments: Deficiency is now compliant | | | | | | | |
| General Comments | | | | | | | |
| All compliances have been met. | | | | | | | |
| I can recommend facility for licensing pending a current public health inspection. | | | | | | | |
| original signed by | | | | | | | |

Nancy Glendenning

Name of operator

July 07, 2022

| Signature of Early Learning and Childcare Licensing Staff | Date | |
|---|---------------|--|
| original signed by Emily Gaddas | July 07, 2022 | |
| Signature of Operator/Designate | Date | |