

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Number		Inspection	Inspection Date	
Guiomar Pena	2021030		Septembe	September 15, 2022	
Facility Name	acility Name		Telephon	Telephone Number	
Auntie Guio			(506) 962	(506) 962-2260	
Address					
178 Yvonne Street Dieppe NB E1A 2C1					
Name of Early Learning and Childcare Licensing Staff		Position Title			
Sarah MacDougall		Inspector			
Order for Compliance	ce Regulation		Date to be corrected	Date corrected	
records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (i) the child's name, address, birth date and Medicare number,			Aug 19, 2022	Sep 13, 2022	
Comments: The child's name, address, birth date and Medis now compliant	dicare numbe	r are indicate	ed in each child's	records. Deficiency	
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (b) child records that include: (ii) the name, add telephone number of the child's medical practitioner.	а	4(1)(b)(ii)	Aug 19, 2022	Sep 13, 2022	
Comments: The name, address and telephone number of Deficiency is now compliant	the medical p	oractionner is	indicated in each	child's records.	
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (b) child records that include: (iv) the name, act telephone number of at least two individuals authorized by the caparent or guardian to pick up the child and to be contacted in caparency if the parent or guardian cannot be reached,	a ddress and child's	4(1)(b)(iv)	Aug 19, 2022		
Comments:  One of the children's records is missing an em 2nd emergency contact, or ensure that the par emergency contact in the child's profile.					
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (b) child records that include: (v) the child's heistory and a copy of the record of immunizations or a copy of a exemption.	a alth	4(1)(b)(v)	Aug 19, 2022	Sep 13, 2022	
Comments:  A copy of the immunization record or a copy of the exemption form is located in each child's records.  Deficiency is now compliant					
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (i) menu plans and any substitutions.	а	. , , ,	Aug 05, 2022	Sep 13, 2022	
Comments: A snack sheet has been created to document substitutions. Deficiency is now compliant					

Order for Compliance	Regulation	Date to be corrected	Date corrected	
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act.	28(3)(b)	Sep 15, 2022		
Comments: Inspector observes that there is a child safety lock on the evacuation plan and remove the child lock from the exit under the Fire Prevention Act.				
39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;		Aug 05, 2022	Sep 13, 2022	
Comments: Lysol wipes were located on the counter during the time under lock and key while inspector was on-site. Deficien			ator placed these	
48(2) An operator of a licensed facility may supply food to a child receiving services at the licensed facility that a parent or guardian of the child brings from the child's home if the food is labelled with the child's name and refrigerated, as required.	48(2)	Aug 12, 2022	Sep 13, 2022	
Comments: Inspector observed that each child's lunch box and food was labelled with their name. Inspector also observed that certain water bottles were not labelled with the child's name. A discussion was had with the Operator, who indicates that parents have been made aware of this requirement and that Operator has tape to label the water bottles. Deficiency is now compliant				
General Comments				
Ratio was respected during the time of the inspection.				
original signed by Sarah MacDougall Signature of Early Learning and Childcare Licensing Staff	Sepi Date	tember 15, 2022		
original signed by				
Guiomar Pena Signature of Operator/Designate	Sept Date	tember 15, 2022		
oignature of operatoring that	- 4.5			