

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

lame of operator Licence		Number		Inspection Date			
Guiomar Pena 2021030				September 22, 2022			
Facility Name					Telephone Number		
Auntie Guio					(506) 962-2260		
Address							
178 Yvonne Street Dieppe NB E1A 2C1							
Name of Early Learning and Childcare Licensing Staff			Position Title				
Sarah MacDougall			Inspector				
Order for Compliance		Reg	0		to be cted	Date corrected	
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,					19, 2022	Sep 22, 2022	
Comments: A discussion was had with the Operator, who indicates that the family has identified a person who will be the child's emergency contact. Until this information can be added to the child's profile, the family is aware that Social Development must be used as a 2nd contact in case of emergency. Deficiency is now compliant							
28(3) The premises of a licensed facility shall comply with (b) standards under the Fire Prevention Act.	codes and	28(3	s)(b)	Sep 1	15, 2022	Sep 15, 2022	
Comments: Require proof has been sent to the Inspector. Deficiency is now compliant							
General Comments							
Ratio was respected during the time of the inspection.							
original signed by Sarah MacDougall September 22, 2022 Signature of Early Learning and Childcare Licensing Staff Date							

original signed by Guiomar Pena

Signature of Operator/Designate

September 22, 2022

Date