

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Guioamar Pena	Licence Number 2021030	Inspection Date June 19, 2023	
Facility Name Auntie Guio		Telephone Number (506) 962-2260	
Address 178 Yvonne Street Dieppe NB E1A 2C1			
Name of Early Learning and Childcare Licensing Staff Kyleigh Roy		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Jun 05, 2023	Jun 19, 2023
Comments: During the follow-up inspection, the inspector observed that all children's file contain two emergency contacts (other than parents/guardians) that can respond within one hour if parent(s)/guardian(s) cannot be reached. Deficiency is now compliant.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	May 31, 2023	Jun 19, 2023
Comments: During the follow-up inspection, the inspector was informed by the operator that they now bring the daily attendance sheet with them to the outdoor play area and on walks. Deficiency is now compliant..			
24(2) The records and documents referred to in subsection (1) shall be maintained for at least one year after the record or document is made.	24(2)	Jun 14, 2023	Jun 19, 2023
Comments: During the follow-up inspection, the inspector was informed by the operator that they now maintain weekly menus and will maintain them for at least 1 year. Deficiency is now compliant.			
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly.	28(2)	Jun 14, 2023	Jun 19, 2023
Comments: During the follow-up inspection, the inspector observed that the monthly emergency evacuation and fire drill is completed for the month of June. Deficiency is now compliant.			
28(4) The premises of an early learning and child care home shall be equipped with a smoke alarm, smoke detector and fire extinguisher as required by the Fire Prevention Act.	28(4)	Jun 14, 2023	Jun 19, 2023
Comments: During the follow-up inspection, the inspector observed that the fire extinguisher inspection has been conducted this month and the maintenance records have also been updated. Deficiency is now compliant.			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (b) covered with a non-absorbent layer.	41(1)(b)	Jun 14, 2023	

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: During the follow-up inspection, the inspector observed that the ripped diaper changing mat has been covered with a cover that is absorbent. The operator must ensure that the diaper changing surface is non-absorbent to ensure the transmission of communicable diseases is reduced.			
48(3) An operator of a licensed facility shall provide weekly menus to a parent or guardian of a child at least three days in advance of serving the food and shall modify the food served in the case of special nutritional requirements of a child.	48(3)	Jun 05, 2023	Jun 19, 2023
Comments: During the follow-up inspection, the inspector had a conversation with the operator who informed them that parents now receive menus on Friday for the following week. Deficiency is now compliant.			
48(6) An operator of a licensed facility shall post information relating to any allergies of the children in the food preparation area.	48(6)	Jun 02, 2023	Jun 19, 2023
Comments: During the follow-up inspection, the inspector observed that allergy information is posted in the food preparation area. Deficiency is now compliant.			

General Comments

During the follow-up inspection, the inspector observed the children dressing up as super-hero's, a guided flower painting activity and snack time.

The inspector recommended that the operator move the diaper changing area to ensure that it is further away from the food preparation area. If the operator decides to not move the diaper changing area the sink used for hand washing shall not be used for food preparation or clean up.

The ratio is respected during the follow-up inspection.

original signed by
 Kyleigh Roy

June 19, 2023

 Signature of Early Learning and Childcare Licensing Staff

 Date

original signed by
 Guiomar Pena

June 19, 2023

 Signature of Operator/Designate

 Date