

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator		Licence Number				Inspection Date	
Guiomar Pena 202103						April 12, 2024	
Facility Name						Telephone Number	
Auntie Guio						(506) 962-2260	
Address							
178 Yvonne S	Street Dieppe NB E1A 2C1						
Name of Early Learning and Childcare Licensing Staff			Position Title				
Roxanne Benoit			Inspector				
Order for Compliance			Regulation		Date to be corrected		Date corrected
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility, Comments: During the renewal inspection, the inspector observed the			at the	there were no art			
	open shelves. The operator must ensure that open shelves. During the inspection, the inspection art materials easily accessible.						
36(1) A full-time early learning and childcare centre and an early learning and childcare home shall have a rest area.			36(1) Apr		Apr 1	5, 2024	Apr 12, 2024
Comments:	The inspector observed a playpen in the play area. The facility must have a designated rest area. A rest area is a location that ensures the peaceful rest of the children. It is a designated zone where no play takes place. The operator must ensure that when children napping during the day, children benefit from a safe, secure, and peaceful environment that respects their personal needs. While on site, the operator brought the playpen into a different room. Deficiency is now compliant.						
50(1) An operator of a licensed facility shall maintain a chronologically filed daily incident log relating to the health, security and well-being of the children receiving services at the licensed facility.			50(1) A		Apr 26, 2024		
Comments:	The inspector had a discussion with the operator regarding incident records. The operators informs the inspector that she does not document minor incidents and those rarely happens. The inspector referred and showed section 6.5 of the Operator's Manual to the operator. The operator must ensure that all minor incidents are properly recorded, documented and signed by parents so that they are well informed of any incidents that may have involved the child while at the facility.						
50(2) The operator of a licensed facility shall inform the parent or guardian of a child in- volved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness.					6, 2024		
Comments:	The inspector had a discussion with the opera inspector that she does not document minor in showed section 6.5 of the Operator's Manual tincidents are properly recorded, documented a incidents that may have involved the child while	ncidents and to the opera and signed	d thosator. The by pa	se rarely The opera	happe ator mi	ns. The inspense that	ector referred and at all minor

General Comments	
During the time of the inspection, the inspector observed indoor period. Inspector observed positive interactions between the Oplevel to play with them and speaking kindly to them. Operator wusing words of encouragement while doing a snake craft. The charmonic punches from the snake craft, so the operator kindly process.	perator and the children, such as getting on their ras giving the children positive reinforcement by hildren wanted to carry on with a new craft using
The inspector was not able to observe if there is ample shade to the summer months.	protect children from the heat of the sun during
The ratio is respected during the inspection.	
original signed by Roxanne Benoit Signature of Early Learning and Childcare Licensing Staff	April 12, 2024 Date

April 12, 2024

Date

original signed by Guiomar Pena

Signature of Operator/Designate