

## Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| Name of operator  | Licence N |            | lumber                    |                      | Inspection Date  |                |  |
|---|-----------|------------|---------------------------|----------------------|------------------|----------------|--|
| 722780 N.B. Inc   | 2021057   |            |                           |                      | October 03, 2023 |                |  |
| Facility Name   |           |            |                           |                      | Telephone Number |                |  |
| Wee College Vanier Park Campus  |           |            |                           |                      | (506) 474-1878   |                |  |
| Address   |           |            |                           |                      |                  |                |  |
| 190 Doak Road Fredericton NB E3C 2G2  |           |            |                           |                      |                  |                |  |
| Name of Early Learning and Childcare Licensing Staff  |           |            | Position Title            |                      |                  |                |  |
| Troy Williams   |           |            | Quality Assurance Monitor |                      |                  |                |  |
| Order for Compliance  |           | Regulation |                           | Date to be corrected |                  | Date corrected |  |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.  |           | 32(1       | 32(1)(d) Oct              |                      | 0, 2023          |                |  |
| Comments:   |           |            |                           |                      |                  |                |  |
| 39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; |           | 39(2)(a) O |                           | Oct 0                | 3, 2023          | Oct 03, 2023   |  |
| Comments: Deficiency is now compliant   |           |            |                           |                      |                  |                |  |
| General Comments  |           |            |                           |                      |                  |                |  |
| Children were in the outdoor play space when licensing staff arrived.   |           |            |                           |                      |                  |                |  |
| Planned activities and documentation is evident throughout the facility.  |           |            |                           |                      |                  |                |  |
| Educators were engaged and attentive to the needs of the children.  |           |            |                           |                      |                  |                |  |
| Storage room for paint and chemicals was not locked. Administrator locked the door once it was brought to her attention.  |           |            |                           |                      |                  |                |  |
| New staff have been hired since last visit. Staff files were reviewed and contained all the proper documentation.   |           |            |                           |                      |                  |                |  |

original signed by Troy Williams

October 03, 2023

Signature of Early Learning and Childcare Licensing Staff

original signed by Julia Pond

Signature of Operator/Designate

October 03, 2023

Date

Date