

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator HAMILTON HOMESTYLE DAYCARE LTD.	Licence Number 2021059	Inspection Date November 30, 2022
Facility Name Seawood Early Childcare Centre #3		Telephone Number (506) 640-2463
Address 859 Sand Cove Road Saint John NB E2M 3E5		
Name of Early Learning and Childcare Licensing Staff Tanya Gaudet		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child. Comments: Deficiency is now compliant	21	Nov 30, 2022	Nov 24, 2022
21 A licensee shall post the following documents in a clearly visible and prominent place in the facility associated with the licence: (a) the licence; (b) a report provided under section 23; (c) an order issued under section 28; and (d) a probationary license issued under section 29. Comments: Deficiency is now compliant	21(a) – (d)	Nov 07, 2022	Nov 24, 2022
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records. Comments: Deficiency is now compliant	24(1)(j)	Nov 30, 2022	Nov 24, 2022
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (k) emergency evacuation and fire drill records. Comments: Deficiency is now compliant	24(1)(k)	Nov 07, 2022	Nov 24, 2022
25 An operator of a licensed facility shall post in a clearly visible and prominent place on the premises: (a) the daily routine. Comments: Deficiency is now compliant	25(a)	Nov 07, 2022	Nov 24, 2022
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. Comments: Deficiency is now compliant	28(2)	Nov 30, 2022	Nov 24, 2022
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Dec 01, 2022	

Order for Compliance	Regulation	Date to be corrected	Date corrected
<p>Comments: Girls' and boys' bathroom- Step stools and base of toilets unclean. Light switch and wall outside girl's bathroom marked and unclean. Wall and door trim outside boy's bathroom unclean. These areas require daily cleaning. Diaper changing procedure not posted in girls' bathroom. The compliance order is carried over from the license renewal inspection conducted on November 1st, 2022. The original comply date was November 3rd, 2022.</p>			
<p>30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.</p>	30(3)	Nov 03, 2022	Nov 24, 2022
<p>Comments: Deficiency is now compliant</p>			
<p>32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.</p>	32(1)(a)	Nov 10, 2022	Nov 24, 2022
<p>Comments: Deficiency is now compliant</p>			
<p>32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.</p>	32(1)(d)	Dec 01, 2022	
<p>Comments: Rugs collecting debris and require daily cleaning. Play materials throughout the learning environment including Little people house, Ice cream truck, castle, unclean and dusty. White bins in dramatic play area dusty and unclean. The compliance order is carried over from the license renewal inspection conducted on November 1st, 2022. The original compliance order comply date was November 7th, 2022.</p>			
<p>33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.</p>	33(1)	Dec 01, 2022	
<p>Comments: Lack of materials available for children to use when playing on the field for outdoor play. Bin taken outdoors by educator did not have enough materials for the number of children present. Balls, chalk, skipping ropes, art supplies, books, buckets, rakes, shovels, hoops are some materials to provide. Involve children in also sharing what types of games and materials they would like to have for the field. The order of compliance is carried over from the license renewal inspection conducted on November 1st, 2022. The original comply date for the compliance order was for November 10th, 2022.</p>			
<p>39(1) A licensed facility shall have storage space that includes: (b) easily accessible space to store the personal belongings of each child receiving services at the licensed facility.</p>	39(1)(b)	Nov 04, 2022	Nov 24, 2022
<p>Comments: Deficiency is now compliant</p>			
<p>39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies;</p>	39(2)(a)	Nov 03, 2022	Nov 24, 2022
<p>Comments: Deficiency is now compliant</p>			
<p>40(1) An operator of a licensed facility shall ensure that personal belongings of a child receiving services at the licensed facility that are brought to the licensed facility, including combs, brushes, toothbrushes, towels, washcloths, bedding, pacifiers and soothers, are (c) stored separately for each child.</p>	40(1)(c)	Nov 04, 2022	Nov 24, 2022
<p>Comments: Deficiency is now compliant</p>			
<p>44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.</p>	44(a)	Nov 04, 2022	Nov 24, 2022
<p>Comments: Deficiency is now compliant</p>			

General Comments

Follow-up inspection completed today. There are orders for compliance that are still outstanding. A second follow-up inspection is required before the facility can be recommended for licensing.

Renewal inspection was not posted on the parent board. This report is to be posted when received and remains posted for 1 year.

original signed by  
Tanya Gaudet

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

November 30, 2022

\_\_\_\_\_  
Date

original signed by  
Christine Flewelling

\_\_\_\_\_  
Signature of Operator/Designate

November 30, 2022

\_\_\_\_\_  
Date