

## **Early Learning and Childcare Facility Inspection Report**

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence Number		ber	Inspection		Date			
Creating Wonders Daycare Inc.	2021092			August 27, 2025					
Facility Name		Telephone Number							
Creating Wonders Elsipogtog				(506) 523-5657					
Address									
356 Big Cove Road Elsipogtog First Nation NB E4W 2S6									
Name of Early Learning and Childcare Licensing Staff			Position Title						
Roxanne Benoit			Inspector						
Order for Compliance			Regulation Date corre			Date corrected			
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;		11(a	11(a) Jul 1		7, 2025				
Comments: Educators was not able to obtain their first-aid certificate has the course was cancelled. The operator must ensure that all staff members without their certification are not left alone with children. A new proof of registration must be sent to the inspector as soon as possible.									
11.1(3) A staff member who works directly with infants or preschool children shall complete in each year 10 hours of training approved by the Minister related to the curriculum used at the designated facility.		11.1(3) Jul <sup>2</sup>		Jul 17	7, 2025				
Comments: 3 educators have not completed their 10 professional learning hours. The administrator stated that some have completed hours. The operator must ensure a written plan on how she plans to become compliant.									
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (a) financial records.				1	4, 2025	Aug 08, 2025			
Comments: The inspector has received a copy of the exemption form signed. Deficiency is now compliant.									
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.		24(1)(c)(vii) Jul		Jul 17	7, 2025				
Comments: Educators was not able to obtain their first-aid certificate has the course was cancelled. The operator must ensure that all staff members without their certification are not left alone with children. A new proof of registration must be sent to the inspector as soon as possible.									
24(1) For the purposes of subsection 20(1) of the Act, the follow records and documents shall be maintained on the premises of licensed facility: (g) attendance records of staff members.	а	24(1			20, 2025	Aug 27, 2025			
Comments: The inspector observed that the staff member attendance is on site and documented. Deficiency is now compliant.									
31(5.1) The outdoor play area of a full-time or part-time early le childcare centre shall include a shaded area of at least 0.45 m <sup>2</sup> child that can be accommodated in the outdoor play area as properly and a supparagraph 4(1)(a)(ii)	2 for each	31(5	5.1)	Jul 0	1, 2025				

Order for Com	pliance	Regul	ation	Date to be corrected	Date corrected						
Comments:											
General Con	nments										
The inspecto	r had received an email on August 6th stating that	t the facility	was w	orking on thei	r non-compliance.						
The inspecto	r observed nap time and the after-school children	playing fre	ely insi	de.							
The ratio is re	espected during the inspection.										
	original signed by Roxanne Benoit		Αι	ıgust 29, 2025							
Signature of	Early Learning and Childcare Licensing Staff	Date									
	original signed by										
	Robyn Augustine	August 29, 2025									
Signature of	Operator/Designate	Date									