



Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021109	Inspection Date March 28, 2023
Facility Name Powerplay Riverview Campus 1	Telephone Number (506) 871-3919	
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Erika Hickey	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Feb 13, 2023	Feb 15, 2023
Comments: Proof of a valid certificate was sent to the Quality Assurance Monitor and was placed in the staff's record. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Feb 13, 2023	Feb 15, 2023
Comments: Proof of a valid certificate was sent to the Quality Assurance Monitor and was placed in the staff's record. Deficiency is now compliant			

General Comments

Proof of compliance was sent to the Quality Assurance Monitor. Another on-site monitoring inspection will be conducted at a later date.

original signed by
Erika Hickey

Signature of Early Learning and Childcare Licensing Staff

March 28, 2023

Date

original signed by
Tori Condran

Signature of Operator/Designate

March 28, 2023

Date