

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021109	Inspection Date September 20, 2023
Facility Name Powerplay Riverview Campus 1		Telephone Number (506) 871-3919
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Erika Hickey		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Oct 13, 2023	
<p>Comments: During the inspection, the Quality Assurance Monitor observed one staff missing a copy of their first aid certification and cardiopulmonary resuscitation certification. The administrator has confirmed that the staff is currently booking the course and is not left alone with children until the certification has been completed and a certification of completion has been received. A copy of the certification can be sent to the Quality Assurance Monitor to indicate compliance. A copy must be inserted into the staff records.</p>			
22 The daily routine of a licensed facility shall include (b) a period of rest for a length of time that meets the needs of each infant and preschool child receiving services at the licensed facility but that does not exceed two consecutive hours unless there is a written request from a child's parent or guardian to extend the length of time.	22(b)	Sep 20, 2023	
<p>Comments: The Quality Assurance Monitor also observed children who were not sleeping on their nap mats. The educator shushed a child who was trying to speak during nap and told the child to stay in their bed. The Quality Assurance Monitor reminded the educator that children do not have to remain in their beds if they are not sleeping and that they can offer calming activities or toys. The educator shared that the children could reach toys that are on the shelves beside them and have them in their beds if they want. The Quality Assurance Monitor had a discussion with the administrator regarding the observations done at nap time.</p> <p>The operator must ensure that the children resting on mats, but that remain awake are not required to stay on the mat for longer than 30 minutes.</p>			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Oct 13, 2023	
<p>Comments: During the inspection, the Quality Assurance Monitor observed one staff missing a copy of their first aid certification and cardiopulmonary resuscitation certification. The administrator has confirmed that the staff is currently booking the course and is not left alone with children until the certification has been completed and a certification of completion has been received. A copy of the certification can be sent to the Quality Assurance Monitor to indicate compliance. A copy must be inserted into the staff records.</p>			

Order for Compliance	Regulation	Date to be corrected	Date corrected
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)		
Comments: The material observed in the infant and preschool outdoor play area were sufficient and varied during the inspection.			

General Comments

The Quality Assurance Monitor is on-site for a monitoring inspection. During the inspection, the Quality Assurance Monitor was able to observe the children during nap time and during indoor and outdoor free play.

The Quality Assurance Monitor observed a child injury. Educators completed an incident log and tended to the child by placing a band-aid and ice on the injury.

The ratio was respected during the inspection.

original signed by
Erika Hickey

September 22, 2023

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Tori Condran

September 22, 2023

Signature of Operator/Designate

Date