

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021109	Inspection Date December 13, 2023
Facility Name Powerplay Riverview Campus 1		Telephone Number (506) 871-3919
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall-LeBlanc		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (b) educators must have successfully completed the Introduction to Early Childhood Education course or hold an Early Childhood Education Certificate.	11(b)	Dec 13, 2023	Dec 13, 2023
Comments: Required proof has been provided to the inspector. Deficiency is now compliant			
11.1(3) A staff member who works directly with infants or preschool children shall complete in each year 10 hours of training approved by the Minister related to the curriculum used at the designated facility.	11.1(3)	Nov 24, 2023	
Comments: Inspector was unable to verify if eligible educators have completed their required professional learning hours. This will be verified at the 3rd follow-up inspection.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Dec 15, 2023	
Comments: 1 out of 5 verified children's records is missing the full address of the medical practitioner. Administrator must ensure that all required information is indicated in the children's records.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Dec 11, 2023	
Comments: 1 out of 5 verified children's records is missing the full address of the emergency contacts. Administrator must ensure that all required information is indicated in the children's records.			
27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (c) permitting the administration of medication in the circumstances set out in section 46.	27(c)	Nov 10, 2023	Dec 13, 2023
Comments: The required consent was located in the verified children's records. Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (b) codes and standards under the Fire Prevention Act.	28(3)(b)	Dec 13, 2023	Dec 13, 2023

Order for Compliance	Regulation	Date to be corrected	Date corrected
Comments: During the inspection, inspector observed that there is a lock on the outdoor gate. A discussion was had with a staff member, who indicates that this exit is considered an emergency exit. The gate was unlocked immediately. Deficiency is now compliant			
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	33(1)	Nov 24, 2023	
Comments: During the 2nd follow up inspection, inspector observed some balls, trucks and containers in the outdoor play area. A discussion was had with staff, who indicates that it is challenging to find outdoor play material. Recommendation that Administrator consult the Operator Manual (page 169), for suggested materials and equipment for the outdoor play area. Inspector also recommends that Administrator contact their Early Learning Consultant regarding this.			
48(5) If more than one bottle-fed infant is receiving services at a licensed facility, the operator shall ensure that each bottle is (a) labelled with the child's name, (b) used only for the intended child.	48(5)	Nov 10, 2023	Dec 13, 2023
Comments: Inspector observed that the same infant bottle was in the refrigerator. The infant bottle was not labelled. Educator indicates that they have not been able to identify who the bottle belongs to and will continue to attempt to identify who it belongs to. The milk was disposed of during the inspection, to ensure that no child drinks the milk. Deficiency is now compliant			
50(1) An operator of a licensed facility shall maintain a chronologically filed daily incident log relating to the health, security and well-being of the children receiving services at the licensed facility.	50(1)	Nov 10, 2023	Dec 13, 2023
Comments: All required information was indicated in the verified incident logs. Deficiency is now compliant			
50(2) The operator of a licensed facility shall inform the parent or guardian of a child involved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness.	50(2)	Dec 06, 2023	Dec 13, 2023
Comments: All required information was indicated in the verified incident logs. Deficiency is now compliant			

General Comments

A copy of the general liability insurance for 2023-2024 must be provided to the Inspector before the license can be renewed.

Ratio is respected during the time of the inspection.

original signed by

Sarah MacDougall-LeBlanc

Signature of Early Learning and Childcare Licensing Staff

December 13, 2023

Date

original signed by

Tori Condran

Signature of Operator/Designate

December 13, 2023

Date