

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| | | | |
|---|---------------------------|--------------------------------------|----------------|
| Name of operator Power Play Academy Moncton Campus Inc. | Licence Number 2021110 | Inspection Date December 06, 2023 | |
| Facility Name Powerplay Riverview Campus 2 | | Telephone Number (506) 871-3919 | |
| Address 500 Hillsborough Road Riverview NB E1B 4E7 | | | |
| Name of Early Learning and Childcare Licensing Staff Sarah MacDougall-LeBlanc | | Position Title Inspector | |
| Order for Compliance | Regulation | Date to be corrected | Date corrected |
| 11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate; | 11(a) | Nov 21, 2023 | Nov 08, 2023 |
| Comments: Required proof has been provided to the Inspector. Deficiency is now compliant | | | |
| 11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister. | 11(c)(ii) | May 07, 2024 | |
| Comments: At least 50% of educators do not hold a one-year Early Childhood Education Certificate. Administrator indicates that a new educator that will start working in December has their ECE. Administrator indicates that they will look at hiring staff with their ECE certificate or assign educators to new groups. | | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached, | 24(1)(b)(iv) | Nov 21, 2023 | |
| Comments: 1 out of 5 verified children's records is missing an emergency contact. The full address of the emergency contact identified in this child's record is also missing the full address. Administrator must ensure that all children's records are complete with required information. | | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator. | 24(1)(c)(vii) | Nov 21, 2023 | Nov 08, 2023 |
| Comments: Required proof has been provided to the Inspector. Deficiency is now compliant | | | |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|---|------------|----------------------|----------------|
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records. | 24(1)(j) | Nov 21, 2023 | Nov 07, 2023 |
| Comments: The smoke alarm maintenance records were provided to the inspector at the end of the renewal inspection. Deficiency is now compliant | | | |
| 27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (b) permitting, in the case of illness or soiled clothing, the child to shower or bathe or showering or bathing the child. | 27(b) | Nov 21, 2023 | Dec 06, 2023 |
| Comments: The consent to bathe the child in the event of illness or soiled clothing was indicated in each verified children's record. Deficiency is now compliant | | | |
| 27 An operator of a licensed facility shall obtain the written consent of a parent or guardian of a child receiving services at the licensed facility before doing any of the following: (f) permitting the child to participate in an outing. | 27(f) | Nov 07, 2023 | Dec 06, 2023 |
| Comments: Administrator is aware that all consents for outings must be kept in the child's file. Deficiency is now compliant | | | |
| 32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. | 32(1)(a) | Nov 21, 2023 | Dec 06, 2023 |
| Comments: A discussion was had with the educator, who indicates that more blocks have been purchased for the children. Educator indicates that at this time, the amount of blocks in their classroom is sufficient. Deficiency is now compliant | | | |
| 33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. | 33(1) | Nov 21, 2023 | |
| Comments: Inspector observed a bin with a few kitchen items as well as a few trucks for the children to play with in the outdoor play area. Administrator must ensure that more materials are accessible in the outdoor play area. As per the Operator Manual (page 75), the outdoor play area is an extension of the indoor play environment, providing many of the same opportunities, including space for creative, quiet, pretend and sensory experiences. Recommendation that Administrator consult the Operator Manual (page 169), for suggested materials and equipment for the outdoor play area. | | | |
| 33(2) Stationary equipment in the outdoor play area shall be surrounded by a protective surfacing and installed according to the manufacturer's instructions. | 33(2) | Nov 21, 2023 | Dec 06, 2023 |
| Comments: While Inspector was on-site November 10th 2023, Inspector was able to observe that required protective surfacing was added. Deficiency is now compliant During the follow-up inspection, Inspector is unable to observe the protective surfacing around the stationary equipment due to the snow. Inspector does not recommend that the stationary equipment be used until the snow is gone and required protective surfacing is present. Quality Assurance Monitor will verify protective surfacing at a later date. | | | |
| 41(3) An operator of a licensed facility shall (a) post diaper-changing procedures in diaper-changing areas. | 41(3)(a) | Nov 10, 2023 | Dec 06, 2023 |
| Comments: Inspector observed that the garbage cans that are used to dispose of soiled diapers now have lids. Deficiency is now compliant | | | |
| 46(1) An operator of a licensed facility shall only administer medication to a child receiving services at the licensed facility in the following cases: (d) if the medication is prescribed, the medication is labelled with the name of the physician, the instructions for use and the time period for use. | 46(1)(d) | Nov 21, 2023 | Dec 06, 2023 |
| Comments: The medication now has a label that indicates that doctor's name, instructions for use and the period of time for use. Deficiency is now compliant | | | |

| Order for Compliance | Regulation | Date to be corrected | Date corrected |
|--|------------|----------------------|----------------|
| 46(3) If consent is oral under subsection (2), the operator of a licensed facility shall require the parent or guardian to give a written acknowledgement when the child is picked up at the licensed facility that acetaminophen was administered with their consent. | 46(3) | Nov 07, 2023 | Dec 06, 2023 |
| Comments: Inspector observed that parent's provide written confirmation upon picking up their child that they are aware that acetaminophen was provided to them at the facility. Deficiency is now compliant | | | |
| 48(2) An operator of a licensed facility may supply food to a child receiving services at the licensed facility that a parent or guardian of the child brings from the child's home if the food is labelled with the child's name and refrigerated, as required. | 48(2) | Nov 21, 2023 | Dec 06, 2023 |
| Comments: The verified lunch boxes and water bottles are labelled with the child's name. Deficiency is now compliant | | | |
| 50(1) An operator of a licensed facility shall maintain a chronologically filed daily incident log relating to the health, security and well-being of the children receiving services at the licensed facility. | 50(1) | Nov 07, 2023 | Dec 06, 2023 |
| Comments: All required information was indicated on the incident logs. Deficiency is now compliant | | | |
| 50(2) The operator of a licensed facility shall inform the parent or guardian of a child in- volved in an incident on the day the incident takes place and shall ensure that the parent or guardian signs the daily log to confirm their awareness. | 50(2) | Nov 07, 2023 | Dec 06, 2023 |
| Comments: All required information was indicated on the incident logs. Deficiency is now compliant | | | |

General Comments

Ratio is respected during the inspection.

original signed by

Sarah MacDougall-LeBlanc

Signature of Early Learning and Childcare Licensing Staff

December 06, 2023

Date

original signed by

Tori Condran

Signature of Operator/Designate

December 06, 2023

Date