

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021111	Inspection Date June 30, 2025
Facility Name Powerplay Riverview Campus 3	Telephone Number (506) 854-9662	
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Stephanie Hickey	Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (iv) the name, address and telephone number of at least two individuals authorized by the child's parent or guardian to pick up the child and to be contacted in case of an emergency if the parent or guardian cannot be reached,	24(1)(b)(iv)	Apr 17, 2025	Jun 27, 2025
Comments: In 6 child records reviewed, the Quality Assurance Monitor observed that the names, addresses, and telephone numbers of two emergency contacts were documented. Deficiency is now compliant			

General Comments
The Quality Assurance Monitor was on site to conduct a Change in Service inspection. While on site, the Quality Assurance Monitor verified that the previously identified deficiency had been rectified.

original signed by  
Stephanie Hickey  
\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

June 27, 2025  
\_\_\_\_\_  
Date

original signed by  
Tori Condran  
\_\_\_\_\_  
Signature of Operator/Designate

June 27, 2025  
\_\_\_\_\_  
Date