

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator	Licence N	Number		Inspection Date	
Power Play Academy Moncton Campus Inc. 2021113				October 16, 2023	
Facility Name			Telephone Number		
Powerplay Riverview Campus 5			(506) 871-3919		
Address			•		
500 Hillsborough Road Riverview NB E1B 4E7					
Name of Early Learning and Childcare Licensing Staff		Position Title			
Erika Hickey		Quality Assurance Monitor			
Order for Compliance		Regulation Date corre			Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation. Comments: A new staff record was verified during the inspection. The				D, 2023 ent regarding	g their obligations
under the Act and licensing regulation.		20(4)	0 0	0.0000	0-146 0000
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.		33(1) Sep		9, 2023	Oct 16, 2023
Comments: During the inspection, the Quality Assurance Notes the school age outdoor play. The administrato to the children and is varied and sufficient for the children and s	r has confirr	ned a plan to	ensure	e that the ma	aterial is accessible
General Comments					
The Quality Assurance Monitor is on-site for a monitoring site during snack time and indoor free play. The children did not go outside during the inspection became in the control of the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the inspection became in the children did not go outside during the children during the chi	·		y Assu	rance Mon	itor was on-
The simulation and her go calculate dailing the ineposition bees	2000 01 1110				
original signed by Erika Hickey		October 16, 2023			
Signature of Early Learning and Childcare Licensing Staf	f Da	ate			
original signed by Tori Condran		October 16, 2023			
Signature of Operator/Designate	ate				