New Nouveau Brunswick

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of Operator		Inspection Date
Power Play Academy Moncton Campus Inc.		November 02, 2026
Facility Name		**Licence Number**
Powerplay Riverview Campus 5		2021113
Address		**Telephone Number**
500 Hillsborough Road Riverview NB E1B 4E7		(506) 854-9662
Type of Facility	**Maximum Number of Children**	**Ages of Children**
Full-time Early Learning and Child Care Centre	58	PRESCHOOL SCHOOL-AGE
ELCC Licensing Staff	**Position Title**	
Stephanie Hickey	Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected

General Comments

The Quality Assurance Monitor is on site in the morning to conduct a monitoring inspection.
Child-to-staff ratios were maintained throughout the visit.

During the inspection, the following elements were verified:
•Information posted in a visible and prominent location within the facility
•Indoor play area
•Indoor play materials and equipment
•Supervision

During the monitoring inspection, children were observed participating in indoor and outdoor free play, as well as during the lunch period.

A fire drill was also observed during the inspection.

original signed by
Stephanie Hickey — November 02, 2026
Signature of Early Learning and Childcare Licensing Staff — Date

original signed by
Émilie Henry-Falardeau — November 02, 2026
Signature of Operator/Designated staff — Date

"I hereby acknowledge receipt of this report"