

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Power Play Academy Moncton Campus Inc.	Licence Number 2021114	Inspection Date February 13, 2024
Facility Name Powerplay Academy Riverview Campus 6		Telephone Number (506) 871-3919
Address 500 Hillsborough Road Riverview NB E1B 4E7		
Name of Early Learning and Childcare Licensing Staff Sarah MacDougall-LeBlanc		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Feb 13, 2024	Feb 13, 2024
Comments: Required proof was provided to the Inspector. Deficiency is now compliant			
11(c)(ii) The qualifications and training requirements for administrators and educators are as follows: (c) at a full-time or part-time early learning and childcare centre, (ii) on and after July 1, 2020, (A) at least 50% of educators must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister, and (B) an administrator must hold a one-year Early Childhood Education Certificate or training that is equivalent in the opinion of the Minister.	11(c)(ii)	Jul 17, 2024	
Comments: 50% of educators do not hold a one year Early Childhood Education Certificate or an equivalent. Administrator indicates that they are the process of hiring qualified educators in order to meet this requirement.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	Feb 02, 2024	Jan 30, 2024
Comments: Required proof was provided to the Inspector. Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Feb 13, 2024	Feb 13, 2024
Comments: Required proof was provided to the Inspector. Deficiency is now compliant			
41(1) A licensed facility at which services are provided to children who wear diapers shall have a sturdy surface that is (a) equipped with rails or safety straps.	41(1)(a)	Jan 24, 2024	Feb 02, 2024
Comments: Required proof was provided to the Inspector. Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.	44(a)	Jan 24, 2024	Feb 01, 2024
Comments: Required proof has been provided to the Inspector. Deficiency is now compliant			

General Comments

No on-site inspection was conducted.

original signed by
Sarah MacDougall-LeBlanc
 Signature of Early Learning and Childcare Licensing Staff

February 13, 2024
 Date

original signed by
Tori Condran
 Signature of Operator/Designate

February 13, 2024
 Date