

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Licence N		Jumber			Inspection Date	
Garderie Les Petits Bisounours Inc. 2021132					May 10, 2023	
Facility Name					Telephone Number	
Garderie Les Petits Bisounours Daycare					(506) 855-0077	
Address						
25 Pine Glen Road Riverview NB E1B 3J3						
Name of Early Learning and Childcare Licensing Staff			Position Title			
Mireille Comeau			Inspecto	or		
Order for Compliance		Regi	ulation	Date t		Date corrected
10(1) The number of educators that are required for a group of	children of	10(1)		0, 2023	
mixed ages receiving services at a full-time or part-time early le	earning		,		-,	
and childcare centre is calculated as follows: (a) by multiplying						
number of children of the same age by the corresponding facto Schedule A; and (b) by adding the results obtained under parage						
Comments: During the follow-up inspection, the inspector		n edi	ıcator wit	⊥ h fiftee	n children du	⊥ Iring nap time
Nine 2-year-olds and 6 3-year-olds. The admi						
respect the ratio. As indicated in the Operator				. The n	umber of edu	ucators that are
required for a group of children of mixed ages						
at a full-time or part-time early learning and ch					llows by mul	tiplying the
number of children of the same age by the corresponding factor set out in						
Schedule A and by adding the results obtained under paragraph (a). The child-to-staff ratio for children in a group may be reduced by one half for napping children (for example).				ren (for example.		
one staff member to 10 two-year-olds), provided that one staff member is present in the same room as the						
children.						
This only applies where the children are asleep or resting quietly on mats, the number of available staff						
members in the building is sufficient to meet the child-to-staff ratio and the children's health and safety are					and safety are	
not compromised by the reduction. The Operator of the facility must ensure that the ratio is respected at all times.						
10(6) The number of children grouped at a full-time or part-time		10(6		1	0, 2023	
learning and child- care centre shall not be more than the number		(0	,	litia, i	0, 2020	
requires two educators.						
Comments: During the follow-up inspection, the inspector observed an educator with fifteen children during nap time.						
Nine 2-year-olds and 6 3-year-olds. The administrator and another educator came into the classroom to						
respect the ratio.						
The number of children grouped at a full-time or part-time early learning and childcare centre shall not be more than the number that requires two educators.						
				May 10, 2023		
educators are as follows: (b) educators must have successfully		(,		,	,,
completed the Introduction to Early Childhood Education course or hold						
an Early Childhood Education Certificate.						
Comments: The training qualification certificate and diplon Deficiency is now compliant.	na were add	ded ir	n the staff	tiles.		

Order for Comp	pliance	Regulation	Date to be corrected	Date corrected
and educators a and childcare co educators must training that is e administrator m	alifications and training requirements for administrators are as follows: (c) at a full-time or part-time early learning entre, (ii) on and after July 1, 2020, (A) at least 50% of hold a one-year Early Childhood Education Certificate or equivalent in the opinion of the Minister, and (B) an ust hold a one-year Early Childhood Education Certificate is equivalent in the opinion of the Minister.	11(c)(ii)	Apr 21, 2023	May 10, 2023
Comments:	The administrator and a least 50% of educators holds a training that is equivalent. Deficiency is now compliant.	one-year Early	y Childhood Educa	ation Certificate or
children shall co	nember who works directly with infants or preschool omplete in each year 10 hours of training approved by the to the curriculum used at the designated facility.	11.1(3)	Apr 21, 2023	May 10, 2023
Comments:	Proof of continuous professional development was adde Deficiency is now compliant.	d in the staff f	iles.	
	tivities of a licensed facility shall be purposely planned in ocumented and shall respond to the capabilities, needs	21	Apr 14, 2023	May 10, 2023
Comments:	Purposely planned and documented program was prese Deficiency is now compliant.	nt in all the cla	assroom.	-
advance and do and interests of express creativi	tivities of a licensed facility shall be purposely planned in ocumented and shall respond to the capabilities, needs each child and shall include (c) opportunities (iii) to ty and interests.	21(c)(iii)	Apr 21, 2023	May 10, 2023
Comments:	Materials were added in the classroom. Deficiency is now compliant.			
advance and do	tivities of a licensed facility shall be purposely planned in ocumented and shall respond to the capabilities, needs each child and shall include (c) opportunities (iv) to	21(c)(iv)	Apr 21, 2023	May 10, 2023
Comments:	Materials were added in the classroom. Deficiency is now compliant.		•	
or at least one le children receivir circumstances:	outine of a licensed facility shall include (a) outdoor play hour in each four-hour block of time when the majority of a services are in attendance except in the following (i) the wind chill is below -20 °C; (ii) the temperature is r (iii) the temperature is 33 °C with humidity or above.	22(a)	Apr 11, 2023	May 10, 2023
Comments:	While conducting the follow-up inspection, the inspector playground while the infants went for a walk in the neighl Deficiency is now compliant.		preschoolers play	ing in the outdoor
or a length of tile shild receiving s wo consecutive	utine of a licensed facility shall include (b) a period of rest me that meets the needs of each infant and preschool services at the licensed facility but that does not exceed a hours unless there is a written request from a child's ian to extend the length of time.	22(b)	Apr 11, 2023	May 10, 2023
Comments:	While conducting the follow-up inspection, the inspector children. Deficiency is now compliant.	observed that	the rest period m	et the need of the
ecords and doo censed facility: elephone numb	urposes of subsection 20(1) of the Act, the following cuments shall be maintained on the premises of a (b) child records that include: (ii) the name, address and per of the child's medical practitioner.	24(1)(b)(ii)	Apr 19, 2023	May 10, 2023
Comments:	While conducting the follow-up inspection, the inspector telephone number of the medical practitioner was in the Deficiency is now compliant.		nild file, The name	, address and

Order for Comp	liance	Regulation	Date to be corrected	Date corrected
records and doc licensed facility: telephone numb parent or guardia	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (b) child records that include: (iv) the name, address and er of at least two individuals authorized by the child's an to pick up the child and to be contacted in case of an exparent or guardian cannot be reached,	24(1)(b)(iv)	Apr 19, 2023	May 10, 2023
Comments:	While conducting the follow-up inspection, the inspector at telephone number of at least two emergency contacts was Deficiency is now compliant.		ild file. The name ,	address and
records and doc licensed facility:	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (c) staff member records that include (ii) the staff cations including the certificates or training referred to in or (c).	24(1)(c)(ii)	Apr 14, 2023	May 10, 2023
Comments:	The training qualification certificate and diploma were ad Deficiency is now compliant.	ded in the stat	ff files.	
records and doc	rposes of subsection 20(1) of the Act, the following uments shall be maintained on the premises of a (f) daily attendance records of the children on forms Minister.	24(1)(f)	Apr 11, 2023	May 10, 2023
Comments:	The daily attendance record was filled with all the require Deficiency is now compliant.	ed information.		
guardian referre	tor of a licensed facility shall require the parent or d to in subsection (1) to sign a declaration confirming that ad and understood the content of the handbook. While conducting the follow-up inspection, the inspector		May 12, 2023	file is missing the
	signed statement from the parent confirming they have re	ead and under	rstood the parent h	andbook.
parent or guardia	of a licensed facility shall obtain the written consent of a can of a child receiving services at the licensed facility of the following: (f) permitting the child to participate in	27(f)	Apr 11, 2023	May 10, 2023
Comments:	Administrator confirms that a consent form will be sent to Parents will be asked to sign a separate consent forms to playground in the neighborhood. These consent forms w destination and purpose of the trip and any special considericiency is now compliant.	or field trips, so ill outline the c	uch as when childre	en are going to a
	of a licensed facility shall ensure that the traffic area and c-ways of the licensed facility are free from obstructions	29	Apr 12, 2023	May 10, 2023
Comments:	The traffic area was cleared. Deficiency is now compliant.			
	or part-time early learning and childcare centre shall play area of at least 3.25 m² for each child receiving	30(1)	May 10, 2023	
Comments:	During the follow-up inspection, the inspector observed fourteen, the 3.25 m2 indoor play space for each child wat A full-time or part-time early learning and childcare centre 3.25 m² for each child receiving services at the centre.	as not respect	ed.	
	or shall maintain the indoor play area of a licensed facility	30(3)	May 12, 2023	
Comments:	fety of the children. During the follow-up inspection, the inspector observed a inspector checks the hole and the drywall was wet. On the To ensure the safety of the children, the inspector contact do a follow-up. The health inspector came at the facility a inspection. A restoration company came at the facility and no water repaired.	ne baseboard loted the fire instance and recommer	below this hole the spector as well as haded that a restorat	re was water stain. nealth inspectors to ion company do an

Order for Comp	liance	Regulation	Date to be corrected	Date corrected
materials and eq	or of a licensed facility shall provide indoor play area juipment that are (a) varied and in sufficient quantity for ages of the children receiving services at the licensed	32(1)(a)	May 26, 2023	
Comments:	Some Materials should be added in the classrooms.	lanual for sug	gestion	
32(1) An operato	The Operator can refer to Appendix 24 in the Operator Nor of a licensed facility shall provide indoor play area	32(1)(b)	May 12, 2023	
materials and eq	uipment that are (b) arranged on low, open shelves and children receiving services at the licensed facility,			
Comments:	The inspector observed that some material in stored on the An operator of a licensed facility shall provide indoor play low, open shelves and accessible to the children receiving The inspector refers the Operator at section 9.2.2 Indoor	y area materia ng services at t	Is and equipment the licensed facility.	nat are arranged on
materials and ed	or of a licensed facility shall provide outdoor play area uipment that are varied and in sufficient quantity for the s of the children receiving services at the licensed	33(1)	Apr 21, 2023	May 10, 2023
Comments:	Deficiency is now compliant			
	equipment in the outdoor play area shall be surrounded urfacing and installed according to the manufacturer's	33(2)	May 15, 2023	
Comments:	Stationary equipment in the outdoor play area shall be su installed according to the manufacturer's instructions.	urrounded by a	a protective surfacir	ng and
and maintenance following information	or of a licensed facility shall complete a monthly review e plan on all stationary equipment that includes the ation: (a) the review and repair dates; (b) the action action taken; and (c) the name of the staff member who	33(3)	Apr 14, 2023	May 10, 2023
Comments:	The administrator provided a monthly review and mainte Deficiency is now compliant.	nance plan.		
an early learning	rea of a full-time early learning and childcare centre and and childcare home shall allow for a space of at least 46 h crib, portable playpen, cot or nap mat. The 46 cm between each nap mat was respected. Deficiency is now compliant.	36(4)	Apr 11, 2023	May 10, 2023
is inaccessible to	I facility shall have a separate locked storage space that the children for each of the following: (a) toxic products,	39(2)(a)	Apr 11, 2023	May 10, 2023
chemical products and cleaning supplies; Comments: All the toxic products are locked and not accessible to the children. Deficiency is now compliant.				
procedures in dia	tor of a licensed facility shall (a) post diaper-changing aper-changing areas.	41(3)(a)	Apr 11, 2023	May 10, 2023
Comments:	The procedures are followed. Deficiency is now compliant.			
areas that are or facility, including	of a licensed facility shall not permit hot beverages in excupied by the children receiving services at the licensed the outdoor play area.	43	Apr 11, 2023	May 10, 2023
Comments:	The inspector did not observe hot beverages. Deficiency is now compliant.			
equipped with th 2004-130 under	of a licensed facility shall have a first aid kit that is e contents prescribed by New Brunswick Regulation the Occupational Health and Safety Act as a first aid kit conal, Type P first aid kit, and a telephone in working n outing.	44(c)	Apr 14, 2023	May 10, 2023
Comments:	A new first aid was added at the facility. Deficiency is now compliant.			

Order for Comp	pliance	Regulation	Date to be corrected	Date corrected
		45(2)(a)	Apr 11, 2023	May 10, 2023
Comments:	During the follow-up inspection, the inspector observed a her in her office while waiting for the parents to pick up the Deficiency is now compliant.		e administrator isol	ated the child with
	ubsection (1), the operator of a licensed facility may aminophen to a child if the parent or guardian of the child oral consent.	46(2)	Apr 11, 2023	May 10, 2023
Comments:	The inspector observed a written consent form in a child Deficiency is now compliant.	file.		
facility shall requacknowledgeme	is oral under subsection (2), the operator of a licensed uire the parent or guardian to give a written ent when the child is picked up at the licensed facility that was administered with their consent.	46(3)	Apr 11, 2023	May 10, 2023
Comments:	The inspector observed a written consent form in a child Deficiency is now compliant.	file.		
receiving service child brings from	or of a licensed facility may supply food to a child es at the licensed facility that a parent or guardian of the n the child's home if the food is labelled with the child's erated, as required.	48(2)	Apr 11, 2023	May 10, 2023
Comments:	The inspector verified eight lunchboxes and the name of Deficiency is now compliant.	the child was	present.	
	t is receiving services at a licensed facility, the operator that each bottle is stored with a cover in the refrigerator.	48(4)(d)	Apr 11, 2023	May 10, 2023
Comments:	The infant bottles are stored in the refrigerator. Deficiency is now compliant.			
groups of childre part-time early le (b) five children fewer who are the years of age or	o-staff ratio is one educator for each of the following en of the same age receiving services at a full-time or earning and childcare centre: (a) three infants or fewer; or fewer who are two years of age; (c) eight children or hree years of age; (d) ten children or fewer who are four older, but who are not yet attending 15 school-age children or fewer.	9(1)	May 10, 2023	
During the follow-up inspection, the inspector observed an educator with fifteen children during nap time. Nine 2-year-olds and six 3-year-olds. The administrator and another educator came into the classroom to respect the ratio. As indicated in the Operator's Manual in section 8.1.2. The child-to-staff ratio is one educator for each of the following groups of children of the same age receiving services at a full-time or part-time early learning and childcare centre is three infants or fewer, five children or fewer who are two years of age, eight children or fewer who are three years of age, ten children or fewer who are four years of age or older, but who are not yet attending school. The child-to-staff ratio for children in a group may be reduced by one half for napping children (for example, one staff member to 10 two-year-olds), provided that one staff member is present in the same room as the children. This only applies where the children are asleep or resting quietly on mats, the number of available staff				
members in the building is sufficient to meet the child-to-staff ratio and the children's health and safety are not compromised by the reduction. The Operator of the facility must ensure that the ratio is respected at all times.				
	er of children grouped at a full-time or part-time early ildcare centre shall not be more than the number that	9(5)	May 10, 2023	
Comments:	During the follow-up inspection, the inspector observed a Nine 2-year-olds and 6 3-year-olds. The administrator an respect the ratio. The number of children grouped at a full-time or part-time not be more than the number that requires two educators	d another edu e early learnin	icator came into the	e classroom to

29 and 30 of the Operator Manuel for snack ideas and to ensithe children.	·
original signed by Mireille Comeau	May 15, 2023
Signature of Early Learning and Childcare Licensing Staff	Date
original signed by	

Date

May 15, 2023

Pisani Fosso

While conducting the follow-up inspection, the inspector observed the children during snack time in the

afternoon. The children were given crackers and apple juice. The inspector recommends to review Appendix 28,

General Comments

Signature of Operator/Designate