

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Fredericton Bouldering Coop	Licence Number 2021142	Inspection Date July 27, 2023
Facility Name Fredericton Bouldering Co-operative		Telephone Number (306) 800-0888
Address 528 Smythe Street Fredericton NB E3B 3E6		
Name of Early Learning and Childcare Licensing Staff Megan Munden		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities. Comments: Deficiency is now compliant	24(1)(c)(iii)	Jul 18, 2023	Jul 18, 2023
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation. Comments: Deficiency is now compliant	24(1)(c)(iv)	Jul 18, 2023	Jul 18, 2023
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (k) emergency evacuation and fire drill records. Comments: Deficiency is now compliant	24(1)(k)	Jun 01, 2023	Jul 18, 2023
28(2) An operator of a licensed facility shall carry out emergency evacuation and fire drills monthly. Comments: Deficiency is now compliant	28(2)	Jun 01, 2023	Jul 18, 2023
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments: Deficiency is now compliant	32(1)(a)	Jun 15, 2023	Jul 18, 2023
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (b) arranged on low, open shelves and accessible to the children receiving services at the licensed facility, Comments: Deficiency is now compliant	32(1)(b)	Jul 18, 2023	Jul 18, 2023
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair. Comments: Deficiency is now compliant	32(1)(d)	Jul 18, 2023	Jul 18, 2023

Order for Compliance	Regulation	Date to be corrected	Date corrected
49(1) An operator of a licensed facility shall ensure that the guidance of the children receiving services at the licensed facility is positive and includes positive reinforcement, encouraging efforts and recognizing accomplishments.	49(1)	Jun 01, 2023	Jul 18, 2023
Comments: Deficiency is now compliant			

General Comments
<p>Observed outdoor play at Connaught Playground. Educators remained engaged with children- playing games and helping with snacks. A large wagon was used to transport a water jug, paper cups, first aid bags and other supplies. Children had a number of basketballs to play with as well. Flexibility was offered with snack time and children could return to the gazebo area to eat as they were hungry.</p> <p>Multiple washroom breaks were incorporated into the routine to have educators bring children back to the centre. Please ensure that an educator who is remaining at the playground, stands by the gate when the group has left for the washroom to provide enhanced supervision at the gate. Also, reminding children of this part of the routine and transition- especially younger children and children who are new to Fredericton Bouldering Co-op.</p> <p>Strong child guidance practices were observed with educators speaking to children on their level and providing choices. Educators consistently used a low, respectful tone with the children. Communication among the team was also observed.</p> <p>Upon returning to the centre, children were reminded to wash hands and have a drink of water. Children had climbing time and the administrator provided a lot of encouraging words.</p> <p>The indoor play materials have been organized and a new shelf used to provide easy access. Mark making materials were also accessible to children.</p> <p>Pending a current fire inspection, I recommend for renewal</p>

original signed by  
Megan Munden

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

July 18, 2023

\_\_\_\_\_  
Date

original signed by  
Emma Farlow

\_\_\_\_\_  
Signature of Operator/Designate

July 18, 2023

\_\_\_\_\_  
Date