

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Renewal Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

| Name of operator Licence | | Licence N | Num | ber | | Inspection Date | | |
|--|--|---------------|----------------|-------------------------------------|---------|-----------------|----------|--|
| | | 2022012 | | | | May 18, 2023 | | |
| Facility Name | | | | | | Telephon | e Number | |
| Boulevard Out of School Club 2 | | | | | | (506) 466-3614 | | |
| Address | | | | | | | | |
| 170 Milltown | Boulevard St. Stephen NB E3L 1G8 | | | | | | | |
| Name of Early Learning and Childcare Licensing Staff | | | Position Title | | | | | |
| Jodi Hennessey | | | Inspector | | | | | |
| Order for Compliance | | | Reg | ulation Date to be Dat corrected | | Date corrected | | |
| 24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister. | | fa | 24(1 | | | 17, 2023 | | |
| Comments: Pre K Room: * One child not signed out when moved to another room. School-Age Room: *One child not signed out at the end of the day, May 16, 2023. | | | | | | | | |
| 28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act. | | 28(3 | | Jun 1 | 2, 2023 | | | |
| Comments: | Pre K Room: *Window ledges accumulating dirt/debris, to b *Cabinet where toilet paper/paper towel stored *Dirty fork on shelf, to be removed. *Garbage left on shelf, to be thrown in trash. School Age Room: *Window ledges accumulating dirt/debris, to b * Floor by hooks dirty, to be cleaned. * Fireplace dusty, to be cleaned. | d, dusty to b | cle cle | eaned. | | | | |
| | * Blue rug dirty, to be cleaned/shampooed. * Tops of wall heaters dusty, to be cleaned. Bases of toilets dirty, to be cleaned. | | | | | | | |
| | tor shall maintain the outdoor play area of a licer | nsed | 31(3 | 5) | Jun 1 | 2, 2023 | | |
| facility to ensure the safety of the children. Comments: Base of wall of building deteriorating in one area. To be repaired. Discussed with Administrator during inspection. | | | | | | | | |
| | tor of a licensed facility shall provide indoor play equipment that are (d) clean and in good repair. | area | 32(1 |)(d) | Jun 1 | 2, 2023 | | |

| Order for Compliance | | Regulation | Date to be corrected | Date corrected | | | | | |
|---|--|--|---|--|--|--|--|--|--|
| Comments: | Pre K Room: * Blue car bin broken, to be discarded. * Toy bins accumulating dirt/debris, to be cleaned. * Playhouse roof dirty, to be cleaned. | | | | | | | | |
| | School-Age Room: * Toy bins accumulating dirt/debris, to be cleaned. * Play kitchen dirty, to be cleaned. | | | | | | | | |
| | White shelves in both rooms dirty/dusty, to be cleaned. | | | | | | | | |
| 39(2) A licensed facility shall have a separate locked storage space that is inaccessible to the children for each of the following: (a) toxic products, chemical products and cleaning supplies; | | 39(2)(a) | May 17, 2023 | May 17, 2023 | | | | | |
| Comments: | Staff room/old office unlocked. * Acetaminophen on desk * Ceiling paint on window ledge. * Glade spray on window ledge. *Scentsy spray on desk. Room locked during inspection. Deficiency is now compliant. | | | | | | | | |
| equipped with t 2004-130 unde that is not a per | of a licensed facility shall have a first aid kit that is the contents prescribed by New Brunswick Regulation or the Occupational Health and Safety Act as a first aid kit rsonal, Type P first aid kit, and a telephone in working e premises of the licensed facility. | 44(a) | May 31, 2023 | | | | | | |
| Comments: | Pre K Room: *First Aid checklist only completed for 2023 in April. To be completed monthly. | | | | | | | | |
| | School-Age Room: *First Aid checklist only completed for 2023 in April. To be completed monthly. *First Aid bag on low shelf, to be inaccessible to children. | | | | | | | | |
| General Com | ments | | | | | | | | |
| The children will lunch, and qui Discussed wit shapes attach play area is sy play with chall The children's Educators we | h Administrator items to be added to the new outside ned to the fence and painted with chalk paint. Also dis wept to ensure the safety of the children and also eas | play area su cussed ensu ier for when and Pre-K R e also obser | ich as a music wa ring that the pave the children ride the oom's. ved participating i | ll, cozy coups, d part of the heir cars or | | | | | |

original signed by

Jodi Hennessey Signature of Early Learning and Childcare Licensing Staff

> original signed by Melanie Read

Signature of Operator/Designate

May 17, 2023

Date

Date

May 17, 2023