

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Boulevard Early Learning Centre Inc.	Licence Number 2022012	Inspection Date June 15, 2023
Facility Name Boulevard Out of School Club 2		Telephone Number (506) 466-3614
Address 170 Milltown Boulevard St. Stephen NB E3L 1G8		
Name of Early Learning and Childcare Licensing Staff Jodi Hennessey		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	May 17, 2023	Jun 15, 2023
Comments: Deficiency is now compliant			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Jun 12, 2023	Jun 15, 2023
Comments: Deficiency is now compliant			
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	Jun 12, 2023	Jun 15, 2023
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.	32(1)(d)	Jun 12, 2023	Jun 15, 2023
Comments: Deficiency is now compliant			
44 An operator of a licensed facility shall have a first aid kit that is equipped with the contents prescribed by New Brunswick Regulation 2004-130 under the Occupational Health and Safety Act as a first aid kit that is not a personal, Type P first aid kit, and a telephone in working order (a) on the premises of the licensed facility.	44(a)	May 31, 2023	Jun 15, 2023
Comments: Deficiency is now compliant			

General Comments
A follow up inspection occurred today. All orders for compliance were completed and the facility is recommended for license renewal, pending the recommendations from Fire and Public Health.
Measurements were completed on the new largest fenced in outside play area. A copy of measurements were left with the Administrator. The new fenced in area measures for 37 spaces.

original signed by _____

June 15, 2023 _____

Jodi Hennessey

Signature of Early Learning and Childcare Licensing Staff

Date

original signed by
Melanie Read

Signature of Operator/Designate

June 15, 2023

Date