

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Katherine Roger	Licence Number 2022015	Inspection Date October 23, 2024	
Facility Name Playing is Learning		Telephone Number (506) 889-3772	
Address 18 Jarvis Court Moncton NB E1A 5J4			
Name of Early Learning and Childcare Licensing Staff Sophie Powers		Position Title Quality Assurance Monitor	

Order for Compliance	Regulation	Date to be corrected	Date corrected
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (b) child records that include: (ii) the name, address and telephone number of the child's medical practitioner.	24(1)(b)(ii)	Oct 25, 2024	
Comments: In 1 out 5 child record file verified the address of the medical practitioner is incomplete. In another file the medical practitioner information is missing. All child rescored files must include the name, address and the phone number of the medical practitioner. The operator must ensure that all child record files are complete.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (f) daily attendance records of the children on forms provided by the Minister.	24(1)(f)	Oct 23, 2024	
Comments: The Quality Assurance Monitor observed the children transitioning to the outdoor play area. The operator forgot to bring the attendance sheet with her. When children are in the outdoor play area or on outings, operators must have a copy of the attendance records with them as well as emergency contact information.			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (j) smoke alarm, smoke detector and fire extinguisher inspection and maintenance records.	24(1)(j)	Nov 01, 2024	
Comments: The Quality Assurance Monitor observed a fire extinguisher that was expired. The operator is not aware that fire extinguishers are to be inspected yearly. The operator is responsible to ensure that inspections are completed.			
35 An operator of a licensed facility shall not permit a child receiving services at the licensed facility access to a trampoline.	35	Oct 23, 2024	
Comments: In the outdoor play area, the Quality Assurance Monitor observed a mini trampoline. Trampolines and mini trampolines are not to be used on-site nor during outings. There is a serious risk of injury to children using trampolines and restricting their use helps to keep children safe from injuries. The trampoline must be removed or made inaccessible to children.			

### General Comments

The Quality Assurance Monitor is on site for a monitoring inspection.

The QAM observed these following elements.



## General Comments

- Outdoor play area
- Indoor play area
- If all required documents are posted in a visible and prominent space in the facility.
- Administrative records maintained on site.
- Child records and signed consents

The ratio was respected during the visit.

The operator informed the QAM that sometimes she offers food services to the children's. As per most recent application, food services are not offered. If the operator wishes to provide food, an application for change must be sent to the Quality Assurance Monitor.

Children are observed playing in the indoor are and transitioning to the outdoor play area.

original signed by  
Sophie Powers

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

October 23, 2024

\_\_\_\_\_  
Date

original signed by  
Katherine Roger

\_\_\_\_\_  
Signature of Operator/Designate

October 23, 2024

\_\_\_\_\_  
Date