

Early Learning and Childcare Facility Inspection Report

Type of Inspection: Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator		Licence Number				Inspection Date		
Rising Stars Daycare Corp. 20		2022016	2022016			September 04, 2025		
Facility Name						Telephone	Number	
Rising Stars Daycare - Sussex						(506) 331-1000		
Address								
1085 Main Str	reet Sussex Corner NB E4E 3C8							
Name of Early Learning and Childcare Licensing Staff			Position Title					
Jodi Hennessey			Inspector					
Order for Compliance			Regulation		Date to be corrected		Date corrected	
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children.			30(3	3)		26, 2025		
Comments:	Infant Room: Inspector observed paint and wallpaper peeling off the wall, creating a hazard for children if this is accidently ingested. 3–4-Year-Old Room: Inspector observed that the heater on wall, adjacent to the office is held together with duct tape. To be replaced and repaired. Paint flaking off the walls in the room. This can cause a hazard to the							
	children if ingested, to be fixed/repainted. Hol	e in the wa	ll by	the exit do	oors. 7	To be repaired	d.	
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.			31(3	3)	Sep 2	26, 2025		
Comments: Preschool Outdoor Play area: Inspector observed in the outdoor play area a bag of garbage overflowing. Educators indicated they had removed it from the garbage can. When this is removed it is to be disposed and not left in the outdoor play area where the children are playing.								
Infant Outdoor Play area: Inspector observed shade sail in infant play area ripped. To be removed and replaced.								
	School-Age Outdoor Play area adjacent to the with water, bugs, dirt and debris. These are to			ctor obse	rved b	roke boards,	a large cooler filled	
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.		32(1)(a)	Sep 2	26, 2025			
Comments: During the monitoring inspection, Inspector observed in the 3–4-year-old room materials were depleted. No defined interest centres in the room. Discussed with Administrator, room lay out, interest centres, utilization of the entire learning environment.								
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (d) clean and in good repair.			32(1)(d)	Sep 2	26, 2025		

Order for Con	npliance	Regulation	Date to be corrected	Date corrected
Comments:	Infant Room: Inspector observed paint and wallpaper point accidently ingested. 3–4-Year-Old Room: Inspector observed that the heated duct tape. To be replaced and repaired. Paint flaking of children if ingested, to be fixed/repainted. Hole in the walls.	er on wall, adjad f the walls in the	cent to the office is le room. This can ca	neld together with use a hazard to the
is inaccessible	eed facility shall have a separate locked storage space that to the children for each of the following: (a) toxic products ucts and cleaning supplies;		Sep 04, 2025	
Comments:	Preschool Outdoor Play Area: Inspector observed a cor on the inside of the fenced in play area where the childr are to be out of the reach of the children and the Educa	en were playin	g. Discussed with E	ducators that these
the children re	ator of a licensed facility shall ensure that the guidance of ceiving services at the licensed facility is positive and ve reinforcement, encouraging efforts and recognizing ents.	49(1)	Sep 04, 2025	
Comments:	During the Monitoring Inspection, the Inspector was in to room when the Inspector heard an Educator yell a child asked the Educator who the child was, the educator indroom. Inspector asked the Educator who yelled at the conspector asked the Educator why they yelled, and the shair. Inspector spoke with the Educator and told them that the what the are doing and get down to the level of the child the Educator about Positive Child Guidance. Inspector spoke with Administrator regarding the situation Administrator about Positive Child Guidance.	's name very lo licated that it wa hild and the ed Educator indica ey cannot yell a d and use re-dir	udly. Inspector wen as one of the childre ucator indicated tha ted that one child p at the children. Educ ection if necessary.	at into the room and the in their infant to they did. ulled another child' cators must stop Inspector spoke to
services at the	ator of a licensed facility shall ensure that no child receiving licensed facility is subjected to any form of physical verbal or emotional abuse or is denied physical	g 49(2)	Sep 04, 2025	
Comments:	During the Monitoring Inspection, the Inspector was in to room when the Inspector heard an Educator yell a child asked the Educator who the child was, the educator indroom. Inspector asked the Educator who yelled and the Inspector asked the Educator who they yelled and the	's name very lo licated that it wa hild and the ed	udly. Inspector wen as one of the childre ucator indicated tha	it into the room and en in their infant t they did.

Inspector asked the Educator why they yelled, and the Educator indicated that one child pulled another child' s hair.

Inspector spoke with the Educator and told them that they cannot yell at the children. Educators must stop what the are doing and get down to the level of the child and use re-direction if necessary. Inspector spoke to the Educator about Positive Child Guidance.

Inspector spoke with Administrator regarding the situation after speaking with the Educator and spoke to the Administrator about Positive Child Guidance.

General Comments

A monitoring inspection occurred today, September 4, 2025. Upon arrival, Inspector observed children and educators engaged in play in the outdoor play area. Inspector also observed the children and educators during morning snack, lunch and quiet/nap time.

Discussed with the Administrator room arrangement and layout in each of the rooms and to ensure defined interest centres are evident. Children should have room to play and explore without interrupted play. Inspector observed in the 3-4-year-old room that the cars/trucks/ blocks, doll house, dinosaurs, manipulatives were all group together on two shelves within proximity to each other in an "U" shape. The learning environment is quite large and recommending utilizing the entire space for children's exploration and learning. Inspector observed that the children's books in this room were piled on a table, not displayed to catch the children's

General Comments

interests. Administrator indicated that the bookshelf they had, was moved to the school-age room and one needed to be purchased to display the books for the children.

Inspector discussed with the Administrator the wall repairs, heater repair, and painting that should occur, as children were observed peeling the paint and wallpaper from the walls and, if ingested, can make the children ill. Educators/staff to remain vigilant until repairs occur to ensure the safety of the children in their care.

Inspector discussed with Administrator, Positive Child Guidance, and the expectations under the Early Childhood Services Act and Regulations. Educators/staff are to speak positively and appropriately to the children, getting down to their level and re-directing behaviours using positive child guidance techniques. Recommending reviewing Section 8.2- Child Guidance, located in the Operators Manual Full-Time and Part-Time Early Learning and Childcare Centres with all staff members.

original signed by					
Jodi Hennessey	September 05, 2025				
Signature of Early Learning and Childcare Licensing Staff	Date				
original signed by					
Melissa Clark	September 05, 2025				
Signature of Operator/Designate	Date	•			