

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator 682599 Ltd NB	Licence Number 2022046	Inspection Date December 04, 2023	
Facility Name Energy Kidz		Telephone Number (506) 471-0977	
Address 300 Restigouche Road Oromocto NB E2V 2H5			
Name of Early Learning and Childcare Licensing Staff Laura Casey		Position Title Inspector	
Order for Compliance	Regulation	Date to be corrected	Date corrected
11 The qualifications and training requirements for administrators and educators are as follows: (a) an administrator and educators must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate;	11(a)	Dec 08, 2023	
<p>Comments: Staff files were verified. Staff files must contain copies of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate.</p> <p style="text-align: center;">This was given as a comply-by date of November 24th, 2023, but remains in non-compliance today.</p>			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	Dec 08, 2023	
<p>Comments: The two staff on site when the facility opened for after-school care did not hold valid first aid training or cardiopulmonary resuscitation training.</p> <p style="text-align: center;">This was given as a comply-by date of November 24th, 2023, but remains in non-compliance today.</p>			
28(3) The premises of a licensed facility shall comply with (a) lighting, ventilation and other general health standards under the Public Health Act.	28(3)(a)	Dec 08, 2023	Dec 01, 2023
<p>Comments: A photograph of the repaired toilet was received. Deficiency is now compliant.</p>			

### General Comments

Upon Licensing staff arrival, staff files were verified.

The two staff members that were present at the time of opening, did not have any first aid training. Despite an additional staff member arriving 20 minutes later that was certified in first aid, all staff working with children must hold a valid first aid certificate and a valid cardiopulmonary resuscitation certificate to ensure proper safety. The two opening staff members informed the inspector that they are registered for the January 16, 2024, class but at the time of inspection were unable to provide confirmation of registration.

General Comments

Please provide confirmation of registration and ensure that at all staff on site working with children hold valid first aid training.

original signed by  
Laura Casey

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

December 04, 2023

\_\_\_\_\_  
Date

\_\_\_\_\_  
Signature of Operator/Designate

\_\_\_\_\_  
Date