

Early Learning and Childcare Facility Inspection Report

Type of Inspection:
Monitoring Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Tiffany Allan	Licence Number 2023026	Inspection Date December 11, 2024
Facility Name Wise Owl Afterschool Club		Telephone Number (506) 357-9752
Address 220 281 Restigouche Road Oromocto NB E2V 2H2		
Name of Early Learning and Childcare Licensing Staff Angela Tozer		Position Title Quality Assurance Monitor

Order for Compliance	Regulation	Date to be corrected	Date corrected
30(3) An operator shall maintain the indoor play area of a licensed facility to ensure the safety of the children. Comments: There are some holes in the walls and several floor tiles missing. Please ensure the indoor play area is safe and clean at all times.	30(3)	Dec 06, 2024	
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children. Comments: Due to recent snow, the deficiency is now compliant. Please ensure that the surface area of the outdoor play area is maintained for the safety of children.	31(3)	Nov 01, 2024	Dec 10, 2024
33(1) An operator of a licensed facility shall provide outdoor play area materials and equipment that are varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility. Comments: The outdoor area is lacking items for some of the materials present such as the house, car rack, and easel. There needs to be a cleanup of any broken resources and ensure curriculum areas are represented in the outdoor area, as well. Please correct as this non-compliance has continued from October's monitoring inspection.	33(1)	Nov 01, 2024	
38(1) The children receiving services at a licensed facility shall have access to washrooms that include the following: (a) if one to nine preschool children or school-age children are receiving the services, one toilet and one sink; (b) if ten to 24 preschool children or school-age children are receiving the services, two toilets and two sinks; (c) if 25 to 49 preschool children or school-age children are receiving the services, three toilets and three sinks; and (d) if 50 or more preschool children or school-age children are receiving the services, four toilets and four sinks. Comments: One washroom has a broken toilet, so the educators have asked children to use the other washrooms. Please ensure all washrooms accessible to children are functioning properly.	38(1)	Dec 06, 2024	

General Comments

This was the second follow-up inspection to check that non-compliances have been corrected. There has been no progress towards correction of items related to outdoor materials and the condition of the walls, floor and washroom. One non-compliance related to the outdoor play area has been removed due to recent snow fall that has filled in the holes and covered the tires. However, this will need to be addressed in the spring. To ensure children have a safe and engaging environment, please address non-compliances asap.

General Comments

original signed by
Angela Tozer

Signature of Early Learning and Childcare Licensing Staff

December 11, 2024

Date

original signed by
Operator has not returned signed copy of inspection report
to date.

Signature of Operator/Designate

December 11, 2024

Date