

## Early Learning and Childcare Facility Inspection Report

Type of Inspection:  
Follow-Up Inspection

Pursuant to section 21 of the *Early Childhood Services Act*, operators of licensed early learning and childcare facilities must post their most recent inspection report in a clearly visible and prominent place in the facility.

Name of operator Marissa Coffey	Licence Number 2024036	Inspection Date May 09, 2025
Facility Name Adventure Acres Early Learning		Telephone Number (506) 262-1003
Address 1831 route Route 104 Zealand NB E6L 2S4		
Name of Early Learning and Childcare Licensing Staff Tanya Gaudet		Position Title Inspector

Order for Compliance	Regulation	Date to be corrected	Date corrected
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child.	21	May 16, 2025	May 07, 2025
Comments: Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (iii) to express creativity and interests.	21(c)(iii)	May 16, 2025	May 07, 2025
Comments: Deficiency is now compliant			
21 The daily activities of a licensed facility shall be purposely planned in advance and documented and shall respond to the capabilities, needs and interests of each child and shall include (c) opportunities (iv) to explore the arts and sciences.	21(c)(iv)	May 16, 2025	May 07, 2025
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iii) a description of the staff member's duties and responsibilities.	24(1)(c)(iii)	May 16, 2025	May 07, 2025
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (iv) a signed declaration confirming that the staff member has read and understood his or her obligations under the Act and this Regulation.	24(1)(c)(iv)	May 16, 2025	May 07, 2025
Comments: Deficiency is now compliant			
24(1) For the purposes of subsection 20(1) of the Act, the following records and documents shall be maintained on the premises of a licensed facility: (c) staff member records that include (vii) a copy of a valid first aid certificate and a valid cardiopulmonary resuscitation certificate for each administrator and educator.	24(1)(c)(vii)	May 06, 2025	May 09, 2025
Comments: Deficiency is now compliant			

Order for Compliance	Regulation	Date to be corrected	Date corrected
31(3) An operator shall maintain the outdoor play area of a licensed facility to ensure the safety of the children.	31(3)	May 06, 2025	May 07, 2025
Comments: Deficiency is now compliant			
32(1) An operator of a licensed facility shall provide indoor play area materials and equipment that are (a) varied and in sufficient quantity for the number and ages of the children receiving services at the licensed facility.	32(1)(a)	May 16, 2025	May 07, 2025
Comments: Deficiency is now compliant			

**General Comments**

The operator sent licensing staff photos of a science, and mark-making centres set up in the indoor environment along with a picture where the protruding screws and broken boards have been removed from the outdoor play environment.

The gaps in the fence have been filled and the operator has sent along a purposely planned activity schedule, based on the children's interests, for the upcoming weeks.

Licensing staff is recommending the facility for their renewal of license.

original signed by  
Tanya Gaudet

May 09, 2025

\_\_\_\_\_  
Signature of Early Learning and Childcare Licensing Staff

\_\_\_\_\_  
Date

original signed by  
Marissa Coffey

May 09, 2025

\_\_\_\_\_  
Signature of Operator/Designate

\_\_\_\_\_  
Date